

A NEW MEETING SEASON

NJMA news

VOL. 24 #6

NOV.--DEC. 1994

THE OFFICIAL NEWSLETTER OF THE NEW JERSEY
MYCOLOGICAL ASSOCIATION



Hygrophorus russula

OFFICERS: Hanna Tschekunow, President
Dorothy Smullen, Vice President
Grete Turchick, Treasurer
Carol Raine, Secretary
Sue Hopkins, [redacted]

CIRCULATION: [redacted]

EDITORS: Alex Adams & Carol Titus

DEADLINE: 10th OF EACH EVEN-NUMBERED MONTH
DUES: CALENDAR YEAR: \$10 EACH OR \$15/FAM
Mail checks (payable to NJMA)
TO: Grete Turchick, [redacted]

Season's Greetings

* * * * *

CALENDAR

- NOV 06 Hanna Tschekunow speaks on fungal friends & foes
- NOV 27 Annual Meeting at SCEEC: contributory party, photo contest, election
- FEB 05 Mycophagy Session (members only - tell your friends to join now)
- AUG 03-06 NEMF in NY state
- JUL 27-30 Adirondack mushroom weekend with the Bessettes
- AUG 24-27 NAMA Foray at Bemidji, Minnesota

Directions to SCEEC (Somerset Co. Environmental Ed. Center 908-766-2489). Route 287 to the North Maple Ave./Basking Ridge exit. Follow N. Maple Ave. as it bends left and becomes S. Maple Ave. in town. Follow S. Maple Ave. past Lord Stirling Stables. Make a left on Lord Stirling Road (Great Swamp sign on right). SCEEC is about a mile. Park in the lot, NOT in front.
Your contribution to refreshments (snacks or cash) is much appreciated. Starts 2 PM.

Don't Miss These NJMA Programs

November 6 - Mushrooms That Make You Sick and Mushrooms That Make You Well

Our president Hanna Tschekunow will speak about mushrooms - friends and foes in the same "kingdom". Come explore with Hanna the mysteries of this irony of nature.

November 27 - Annual Meeting and Holiday Party

by all of us. Come to vote for and show your support for the officers that make things happen for the club.

YOU STILL HAVE TIME to enter the PHOTO CONTEST. Add to the enjoyment of this traditional event - even if you have only one slide. Gene Varney (17 Hadler Dr. Somerset, NJ 08873) will accept slides until Nov 9 so you may send them or give them to Gene at the November 6 meeting. See the Sept-Oct issue of *NJMA News* for contest rules or call Gene at

The REFRESHMENTS are always anticipated at this meeting. Please bring snack and finger foods to share. (Hanna suggests "sweet" or "salty") Perhaps you have some home-baked goodies left from your holiday feasts.

* * * * *

DUES ARE DUE

\$10. one year individual membership
\$ 15. one year household membership
Pay treasurer Grete Turchick at the
November or January meeting or send
her a check (made out to NJMA)



Mushroom Crafters Update -- Festival of Trees

Every year the Somerset Hill YMCA and the Somerset County Park Commission (who run SCEEC) sponsor a *Festival of Trees* decorated creatively by individuals and organizations. This year will be the first time NJMA will have an entry. The trees are well worth seeing. The *Festival* will be held from Dec. 9-18 this year.

We will be making our decorations and final tree plans at one more workshop session at SCEEC on **Saturday Nov 12 at 4:30 pm.** Sue has been collecting and drying small boletes and other colorful mushrooms as well as bark, mosses and lichens that we can use to fill small baskets and create wreaths. **Please bring** any fungi you have dried or other plant materials as well as the following items if possible - scissors, fine wire, glue gun, floral tape, needle nose pliers, regular glue. Donations of materials are welcome even if you cannot make the workshops. If you have questions or wish to donate materials, please contact Susan Hopkins

MUSHROOM CROUSTADES By Bob Hosh


Here is a wonderful way to stretch that last ounce of dried morels you have in the cupboard. It was served at the Soup and Bread Dinner of the NJMA Culinary Group in March, 1994.

One pound of white button mushrooms (*Agaricus bisporus*), cleaned
One ounce dried morels
Three tablespoons minced shallots
One clove minced garlic
One tablespoon ground coriander
Two tablespoons minced parsley
Two tablespoons sherry
Three tablespoons butter
One teaspoon Kitchen Bouquet (*optional*)
Salt and pepper to taste
One quarter cup sour cream
One third cup brown sauce*

Reconstitute the dried morels in one half cup boiling water for fifteen minutes. Drain and reserve the liquid. In a food processor, mince the store bought mushrooms and the morels together. Melt the butter in a sauce pan, add shallots and garlic. Saute for three to four minutes. Add mushrooms, and saute until liquid has evaporated. Add brown sauce, sour cream, sherry, and Kitchen Bouquet, if using it. Add coriander, parsley, and salt and pepper. If too thick, add some of the reserved morel soaking liquid. Simmer until the mixture is fairly thick.

Slice a loaf of French *baguette* into one half inch thick oval slices. Spread the above mixture on the slices. Place on an ungreased cookie sheet and bake in a 400 degree oven for about ten to twelve minutes. Serve hot.

*Heinz au jus Homestyle Gravy may be substituted for homemade brown sauce.





Holiday Happenings

Nov 6 - Hanna Tschekunow
Mushroom Friends and Foes

**Nov 27 - Annual Meeting
Photo Contest and Party**
Don't forget your goodies!

9-18

Dec ~~2-11~~ - Festival of Trees
*Come see our fungi-trimmed
tree & many more at SCEEC.
Call for info (908) 766-7898*

NJMA News
c/o Sue Hopkins

First Class Mail

		F01	F02	F03	F04	F05	F06	F07	F08	F09	F10	F11	NJF
Boletaceae (cont.)													
Boletus (cont.)	miniato-pallescens Sm.& Thrs.		X										X
	pallidus Frost		X	X									X
	pulverulentus Opat.			X							X		X
	separans Pk.		X	X									X
	subvelutipes Pk.				X								X
	tenax Sm.& Thrs.		X										X
	variipes Pk.		X										X
	vermiculosus Pk.		X										X
Gyrodon	merulioides (Schw.)Sing. (=Boletinellus)			X		X		X	X			X	X
Gyroporus	castaneus (Bull.:Fr.)Quel.		X	X	X			X				X	X
	cyanescens (Bull.:Fr.)Quel.			X									X
	purpurinus (Snell)Sing.			X									X
Leccinum	albellum (Pk.)Sing.		X										X
	aurantiacum (Bull.:St.Am.)Gray							X					X
	chromapes (Frost)Sing. (=Tylopilus)		X										X
	holopus v americanum* Sm.& Thrs.									X			
	scabrum (Bull.:Fr.)Gray		X	X	X				X				X
	snellii Sm.,Thrs.& Watl.						X						X
	subglabripes (Pk.)Sing. (=Boletus)		X		X								X
Phylloporus	rhodoxanthus v rhodoxanthus (Schw.)Bres. (=Paxillus)		X	X	X							X	X
Porphyrellus	sordidus (Frost)Snell (=Tylopilus)			X									X
Strobilomyces	confusus Sing.						X						X
	floccopus (Fr.)Karst.		X	X	X								X
Suillus	americanus (Pk.)Snell						X	X	X		X		X
	granulatus (L.:Fr.)Kunt.							X	X				X
	grevillei (Klotzsch)Sing. (=elegans)								X				X
	luteus (L.:Fr.)Gray						X				X		X
	salmonicolor (Frost) Halling (=subluteus)									X			X
Tylopilus	spraguei (Berk.& Curt.)Kunt. (=pictus)							X					X
	ballouii (Pk.)Sing.				X								X
	felleus (Bull.:Fr.)Karst.				X		X						X
	indecisus (Pk.)Murr.		X	X									X
	plumbeoviolaceus (Snell)Snell		X	X									X
Xanthoconium	rubrobrunneus Mazzer & Sm.		X	X								X	X
	affine v affine (Pk.)Sing. (=Boletus)		X										X
Xerocomus	affine v maculosus (Pk.)Sing. (=Boletus)		X										X
	badius (Fr.)Kuehn.:Gilb. (=Boletus)	X		X									X
	chrysenteron (Bull.:St.Am.)Quel. (=Boletus)								X			X	X
	parasiticus (Bull.:Fr.)Quel. (=Boletus)			X	X	X							X
	spadiceus (Fr.)Quel. (=Boletus)											X	X
	subtomentosus (L.:Fr.)Quel. (=Boletus)			X			X						X
Coprinaceae													
Coprinus	comatus (Muell.:Fr.)Gray								X	X		X	X
	micaceus (Bull.:Fr.)Fr.								X		X	X	X
Panaeolina	foenicicii (Pers.:Fr.)Maire (=Psathyrella)											X	X
Psathyrella	annulata* Sm.							X					
	candolleana (Fr.)Maire											X	X
	delineata (Pk.)Sm.	X	X						X			X	X
	sp.	X							X				X
	velutina (Pers.:Fr.)Sing.					X			X				X
Cortinariaceae													
Cortinarius	armillatus (Fr.)Fr. Tela.							X					X
	corrugatus Pk. Myx.		X										X
	iodes Berk.& Curt. Myx.				X	X		X	X	X	X		X
	obliquus Pk. Seric.						X						X

Russulaceae
Lactarius

F01 F02 F03 F04 F05 F06 F07 F08 F09 F10 F11 NJF

aquifluus Pk. (=helvus)	X	X										X
camphoratus (Fr.)Fr.	X	X		X								X
chrysorheus Fr.	X		X		X							X
cinereus v cinereus Pk.		X										X
corrugis Pk.		X	X	X								X
deceptivus Pk.	X						X					X
deliciosus v deterrimus* (Groeg.)Hes.& Sm.							X					
fuliginellus Sm.& Hes.											X	X
gerardii Pk.		X					X					X
griseus Pk.				X			X					X
hygrophoroides Berk.& Curt.	X	X	X									X
luteolus Pk.		X					X				X	X
mutabilis Pk.											X	X
oculatus (Pk.)Burl.		X										X
piperatus v piperatus (Fr.)Gray	X	X										X
psammicola f glaber Hes.& Sm.		X										X
quietus v incanus Hes.& Sm.						X						X
subpurpureus Pk.							X					X
subvellereus v subvellereus Pk.		X										X
subvernalis v cokeri Sm.& Hes.											X	X
thejogalus (Fr.)Gray	X											X
torminosus v torminosus (Fr.)Gray							X					X
vinaceorufescens Sm.			X				X			X		X
volemus v volemus (Fr.)Fr.	X	X		X			X					X
abietina Pk.							X		X			X
anisata Murr.	X							X		X		X
aquosa Leclair								X				X
ballouii Pk.								X				X
barlae Quel.				X								X
betularum Hora							X					X
brevipes v acrior Shaffer						X						X
brunneola Burl.							X					X
brunneoviolacea Crawsh.							X					X
claroflava Grove (=flava)	X											X
compacta Frost		X	X	X		X						X
corallina Burl.		X	X									X
crustosa Pk.		X	X	X			X			X		X
cyanoxantha (Schff.)Fr.		X		X								X
densifolia (Secr.)Gill.		X										X
dissimulans Shaffer				X			X			X		X
earlei Pk.			X									X
flaviscans Bills			X									X
foetentula Pk. (=subfoetens)	X					X					X	X
humidicola Burl.			X								X	X
laurocerasi Romagn.	X	X										X
lutea (Huds.:Fr.)Gray	X											X
maculata Quel.	X											X
mariae Pk. (=alachuana,granulosula)	X	X		X			X	X			X	X
michiganensis Shaffer											X	X
minutula Vel.	X			X								X
modesta Pk.					X		X					X
mutabilis Murr.	X										X	X
nigrescentipes* Pk.			X									X
ochroleucoides Kauff.						X						X
operta Burl.			X									X
											X	X

Russula

Tricholomataceae (cont.)

		F01	F02	F03	F04	F05	F06	F07	F08	F09	F10	F11	NJF
Cytotrama	aspratrum (Berk.)Redh.& Ginns (=chrysopeplum,Collybia)	X											X
Cystoderma	amianthinum v rugosoreticulatum (Lor.)Sm.& Sing. granulosum* (Batsch:Fr.)Fayod							X	X				X
Flammulina	velutipes (Fr.)Karst. (=Collybia)										X	X	X
Hypsizygus	tessulatus (Bull.:Fr.)Sing. (=Pleurotus ulmarius)											X	X
Laccaria	amethystea (Bull.)Murr. (=amethystina)				X								X
	bicolor (Maire)Orton					X							X
	laccata v pallidifolia (Pk.)Pk.		X					X					X
	ochropurpurea (Berk.)Pk.				X	X							X
	proxima (Boud.)Pat.								X	X			X
Lentinellus	cochleatus (Pers.:Fr.)Karst.	X						X					X
	ursinus (Fr.)Kuehn.											X	X
Lyophyllum	multiforme (Pk.)Big.											X	X
Marasmiellus	nigripes (Schw.)Sing.			X								X	X
Marasmius	nigrodiscus (Pk.)Halling (=tenuifolia)			X								X	X
	pulcherripes* Pk.											X	
	scorodonius (Fr.)Fr.	X											X
	siccus (Schw.)Fr.			X									X
	sp.	X											X
	strictipes (Pk.)Sing. (=Collybia)	X		X									X
	sullivantii Mont.			X								X	X
Melanoleuca	alboflavida (Pk.)Murr.			X					X				X
Mycena	galericulata (Scop.:Fr.)Gray											X	X
	haematopus (Pers.:Fr.)Kum. (=haematopoda)				X				X			X	X
	hemisphaerica Pk.											X	X
	inclinata (Fr.)Quel.	X			X	X		X	X			X	X
	luteopallens (Pk.)Sacc.								X			X	X
	pura (Pers.:Fr.)Kum.							X	X			X	X
	sanguinolenta (Alb.& Schw.:Fr.)Kum.	X											X
	sp.	X								X			X
Omphalina	strombodes (Berk.& Mont.)Murr. (=Gerronema,Clitocybe)											X	X
Panellus	stipticus (Bull.:Fr.)Karst.			X	X			X	X		X	X	X
Pleurotus	ostreatus (Jacq.:Fr.)Kum.								X				X
	pulmonarius (Fr.)Quel.	X											X
	sp.										X		X
Resupinatus	applicatus (Batsch:Fr.)Gray											X	X
Tectella	patellaris (Fr.)Murr. (=Panus operculatus)							X					X
Tricholoma	columbetta (Fr.)Kum.							X					X
	flavovirens (Fr.)Lund. (=equestre)							X	X				X
	fumosiluteum Pk.									X			X
	resplendens (Fr.)Karst.							X	X				X
	sejunctum (Fr.)Quel.							X					X
	terreum (Schff.:Fr.)Kum.							X					X
	venenatum* Atk.										X		
	virgatum (Fr.)Kum.							X					X
Tricholomopsis	platyphylla (Fr.)Sing.	X	X	X	X	X						X	X
Xeromphalina	kauffmanii Sm.				X							X	X
Xerula	furfuracea (Pk.)Redh.,Ginns,& Shoem.	X	X	X	X	X			X				X
	radicata (Rehlan:Fr.)Doerfelt (=Oudemansiella)			X									X
	rugosoceps* (Atk.)Redh.,Ginns,& Shoem. (=Collybia)			X									X
Aphylophorales													
Bondarzewiaceae													
Bondarzewia	berkeleyi (Fr.)Bond.& Sing.			X									X
Cantharellaceae													
Cantharellus	cibarius Fr.		X		X			X					X

		F01	F02	F03	F04	F05	F06	F07	F08	F09	F10	F11	NJF
Cantharellaceae (cont.)													
Cantharellus (cont.)	<i>dinnabarinus</i> Schw.		X		X	X						X	X
	<i>lateritius</i> (Berk.)Sing. (=Crater. cantharellus)		X	X								X	X
	<i>minor</i> Pk.		X					X					X
	<i>tubaeformis</i> Fr.		X	X				X					X
Craterellus	<i>fallax</i> Sm.		X		X			X	X				X
Gomphus	<i>floccosus</i> (Schw.)Sing.							X					X
Clavariaceae													
Clavaria	<i>fumosa</i> Pers.:Fr.		X										X
	<i>zollingeri</i> Lev.			X									X
Clavariadelphus	<i>truncatus</i> (Quel.)Donk							X					X
Clavicornia	<i>pyxidata</i> (Pers.:Fr.)Doty	X	X	X								X	X
Clavulina	<i>amethystina</i> (Fr.)Donk		X										X
	<i>cinerea</i> (Fr.)Schroet.		X									X	X
	<i>cristata</i> (Fr.)Schroet.							X	X			X	X
Lentaria	<i>byssiseda</i> (Pers.:Fr.)Corner					X							X
Ramariopsis	<i>fusiformis</i> (Sow.:Fr.)Pet. (=Clavulinopsis)			X	X	X		X					X
	<i>kunzei</i> (Fr.)Donk							X					X
Corticiaceae													
Aleurodiscus	<i>oakesii</i> (Berk.&Curt.)Hoeh.&Litsch.											X	X
Peniophora	<i>sp.</i>											X	X
Phanerochaete	<i>sordida</i> * (Karst.)Erikss.& Ryv.											X	
Phlebia	<i>tremellosus</i> (Fr.)Nakas.& Burds. (=Merulius)								X			X	X
Sarcodontia	<i>setosa</i> * (Pers.)Donk (=crocea)							X					
Sistotrema	<i>brinkmannii</i> * (Bres.)Erikss.											X	
Szygospora	<i>mycetophila</i> (Pk.)Ginns (=Christiansenia)											X	X
Fistulinaceae													
Fistulina	<i>hepatica</i> Schff.:Fr.			X	X	X	X		X				X
Ganodermataceae													
Ganoderma	<i>applanatum</i> (Pers.)Pat.	X			X		X	X	X		X	X	X
	<i>lucidum</i> (Fr.)Karst.					X		X	X			X	X
	<i>tsugae</i> Murr.	X											X
Hericiaceae													
Hericium	<i>coralloides</i> (Scop.:Fr.)Pers. (=americanum)							X	X				X
	<i>erinaceus</i> (Bull.:Fr.)Pers.								X	X	X		X
	<i>ramosum</i> (Mer.)Letell. (=laciniatum, caputursi)							X					X
Hydnaceae													
Hydnum	<i>repandum</i> v <i>repandum</i> L.:Fr. (=Dentinum)			X				X					X
	<i>umbilicatum</i> Pk. (=Dentinum)							X	X				X
Hymenochaetaceae													
Coltricia	<i>cinnamomea</i> (Pers.)Murr.		X	X									X
	<i>montagnei</i> * (Fr.)Murr.							X					
Hydnochaete	<i>olivacea</i> (Schw.)Bank. (=Hydnoporia fuscescens)		X			X						X	X
Phellinus	<i>gilvus</i> (Schw.)Pat.	X							X			X	X
Plicaturaceae													
Plicaturopsis	<i>crispa</i> (Pers.:Fr.)D.Reid (=Trogia)								X				X
Polyporaceae													
Bjerkandera	<i>adusta</i> (Willd.:Fr.)Karst.	X											X
Cerrena	<i>unicolor</i> (Bull.:Fr.)Murr. (=Daedalea)	X										X	X
Cryptoporus	<i>volvatus</i> (Pk.)Shear	X											X
Daedalea	<i>quercina</i> L.:Fr.				X			X	X			X	X
Daedaleopsis	<i>confragosa</i> (Bolt.:Fr.)Schroet.			X		X		X	X			X	X
Gloeoporus	<i>dichrous</i> (Fr.)Bres. (=Caloporus)			X					X			X	X
Grifola	<i>frondosa</i> (Dicks.:Fr.)Gray (=Polyporus)						X		X				X
Hapalopilus	<i>nidulans</i> (Pers.:Fr.)Karst.			X									X
Irpex	<i>lacteus</i> (Fr.)Fr. (=Polyporus tulipiferus)	X							X			X	X

Polyporaceae (cont.)		F01	F02	F03	F04	F05	F06	F07	F08	F09	F10	F11	NJF
Ischnoderma	resinosum (Fr.)Karst.								X		X		X
Laetiporus	sulphureus (Bull.:Fr.)Murr.				X		X		X		X		X
	sulphureus v semialbinus Pk.	X											X
Lenzites	betulina (Fr.)Fr.								X				X
Meripilus	sumstinei (Murr.)Larsen in Lombard (=giganteus ss Auct.	X										X	X
Oligoporus	caesius (Schrad.:Fr.)Gilbn.& Ryv. (=Tyromyces)				X			X				X	X
Oxyporus	populinus (Schum.:Fr.)Donk (=Fomes connatus)							X					X
Piptoporus	betulinus (Bull.:Fr.)Karst. (=Polyporus)	X					X	X	X				X
Polyporus	arcularius Batsch:Fr. (=anisosporus)											X	X
	badius (Pers.:Gray)Schw. (=picipes)							X			X		X
	brumalis Pers.:Fr.										X		X
	elegans Bull.:Fr.	X	X	X									X
	mori Pollini:Fr. (=Favolus alveolaris)											X	X
	radicatus Schw.								X				X
	squamosus Huds.:Fr.											X	X
	tuberaster (Pers.:Fr.)Fr. (=lentus)	X										X	X
Pycnoporus	cinnabarinus (Jacq.:Fr.)Karst.						X	X				X	X
Trametes	conchifer (Schw.:Fr.)Pilat (=Poronidulus)	X										X	X
	hirsuta (Wulf.:Fr.)Pilat (=Coriolus)											X	X
	versicolor (L.:Fr.)Pilat (=Coriolus)	X	X		X	X		X	X		X	X	X
Trichaptum	biforme (Fr.)Ryv. (=Polyporus pargamenus)	X	X					X	X		X	X	X
Tyromyces	chioneus (Fr.)Karst. (=albellus)	X			X			X	X		X	X	X
Schizophyllaceae													
Schizophyllum	commune Fr.	X	X					X				X	X
Sparassidaceae													
Sparassis	spathulata (Schw.:Fr.)Fr. (=herbstii,laminosa)						X					X	X
Stereaceae													
Stereum	complicatum (Fr.)Fr.			X			X	X	X		X	X	X
	hirsutum (Willd.:Fr.)Gray						X					X	X
	ostrea (Fr.)Fr.	X	X						X		X	X	X
Xylobolus	frustulatus (Fr.)Boid. (=Stereum frustulosum)	X							X			X	X
Thelephoraceae													
Hydnellum	spongiosipes (Pk.)Pouz.				X								X
Thelephora	sp.									X			X
	vialis Schw.			X		X							X
Auriculariales													
Auriculariaceae													
Auricularia	auricula (Hook.)Underw.	X											X
Dacrymycetales													
Dacrymycetaceae													
Calocera	cornea (Batsch:Fr.)Fr.	X							X				X
Dacrymyces	chrysospermus Berk.& Curt. (=palmatus)							X					X
	stillatus Nees:Fr. (=deliquescens)											X	X
Tremellales													
Tremellaceae													
Exidia	glandulosa Bull.:Fr.								X				X
	recisa (Ditmar:Gray)Fr.											X	X
Pseudohydnum	gelatinosum (Scop.:Fr.)Karst.							X					X
Tremella	mesenterica Retz.:Hook. (=lutescens)											X	X
	reticulata (Berk.)Farlow			X									X
Tremellodendron	pallidum (Schw.)Burt (=schweinitzii)	X	X		X								X
Gasteromycetes													
Hymenogastrales													
Rhizopogonaceae													
Rhizopogon	sp.									X			X

Myxomycotina
 Myxomycetes
 Ceratiomyxales
 Ceratiomyxaceae

	F01	F02	F03	F04	F05	F06	F07	F08	F09	F10	F11	NJF
<i>fruticulosa</i> (Muell.)Macbr.	X	X			X						X	X
<i>fruticulosa</i> v <i>porioides</i> (Alb.& Schw.)Lister											X	X

Liceales
 Cribrariaceae

<i>intricata</i> Schrad. (=tenella)			X								X	X
<i>Dictydium cancellatum</i> (Batsch)Macbr.		X									X	X

Enteridiaceae
 Lycogala

<i>epidendrum</i> (L.)Fr.	X	X	X				X	X	X	X	X	X
<i>exiguum</i> * Morg.		X										
<i>flavofuscum</i> * (Ehrenb.)Rostaf.											X	
<i>ferruginosa</i> (Batsch)Gmel.		X	X								X	X

Tubifera
 Physarales
 Didymiaceae

<i>Diderma globosum</i> * Pers.			X									
---------------------------------	--	--	---	--	--	--	--	--	--	--	--	--

Physaraceae
 Fuligo
 Physarum

<i>septica</i> (L.)Wigg.	X		X			X					X	X
<i>flavicomum</i> * Berk.											X	
<i>nutans</i> * Pers.			X								X	
<i>tenerum</i> * Rex											X	

Stemonitales
 Stemonitaceae
 Comatrichia

<i>aequalis</i> * Pk.			X									
<i>pulchella</i> * (C.Bab.)Rostaf.			X									

Stemonitis

<i>typhoides</i> * (Bull.)Rostaf.											X	
<i>axifera</i> (Bull.)Macbr.	X	X	X								X	X
<i>fusca</i> Roth											X	X
<i>smithii</i> * Macbr.											X	

Trichiales
 Trichiaceae
 Arcyria

<i>cinerea</i> (Bull.)Pers.		X	X								X	X
<i>denudata</i> (L.)Wett.			X								X	X

Hemitrichia

<i>incarnata</i> (Pers.)Pers.											X	X
<i>nutans</i> (Bull.)Grev.	X											X

Trichia


<i>calyculata</i> (Speg.)Farr (=stipitata)			X									X
<i>floriformis</i> * (Schw.)Lister												X

FORAY TOTAL

61 114 128 45 45 48 121 119 34 36 194 435

Total species recorded = 481

New species this year = 46



1994 FORAY DATES AND LOCATIONS

F01	JUN 18	POCONO ENVIRONMENTAL EDUCATION CENTER
F02	JUL 10	MEADOW WOODS
F03	JUL 31	STEPHENS STATE PARK
F04	AUG 14	HOLMDEL PARK
F05	AUG 28	MAHLON DICKERSON RESERVATION
F06	SEP 11	CHEESEQUAKE STATE PARK
F07	SEP 25	STOKES STATE FOREST
F08	OCT 2	FUNGUS FEST
F09	OCT 9	LEBANON STATE FOREST
F10	OCT 23	WASHINGTON CROSSING STATE PARK
F11	APR-NOV	NON-SCHEDULED AND OTHER FORAYS INCLUDING HUTCHESON MEMORIAL FOREST INVENTORY
NJF	1981-93	RECORDED ON PREVIOUS NJMA FORAYS
	species*	not previously recorded in NJMA foray records

This apparently was a good collecting year in New Jersey since a new high of 481 records has been entered into our database. Of these, 46 are species which were not previously recorded on our forays. In reality the count may have plateaued as 11 of these new entries are for species in the Myxomycetes (slime molds). Two of our members, Dr. Eugene Varney and Ed Ledner, have been diligently inspecting and collecting from rotting logs, and then following through with the necessary microscopic inspection and literature review to assign names to these beautiful and interesting treasures.

Weather conditions throughout the season were quite favorable. Morels were abundant, if one were lucky enough to find a fruiting area. Even Mahlon Dickerson Reservation, which last year yielded only 7 species, this year provided forayers with 45 species to identify.

Our three most prolific collecting areas, Meadow Woods, Stephens, and Stokes, again produced the greatest number of collections along with some interesting new species. Our first collections of *Amanita pantherina v pantherina* and *Lycogala exiguum* were recorded at Meadow Woods. Stephens produced our first records of *Amanita albocreata*, *Russula nigrescentipes*, and several Myxomycetes. At Stokes we found *Psathyrella annulata* and *Inocybe minima*. Fortunately we had the necessary literature descriptions which enabled us to key and identify the collections.

Raymond Fatto